

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Tiger's Blood
Infused Terpene Strain Profile

Product Number: TTP-ID-TGBL

Other Identifying Product Numbers: TTP-ID-TGBL-05, TTP-ID-TGBL-30, TTP-ID-TGBL-120, TTP-ID-TGBL-480,
TTP-ID-TGBL-1000, TTP-ID-TGBL-2500, TTP-ID-TGBL-5000

1.2. Recommended Use and Restrictions on Use

This product is concentrated and should not be used undiluted. Based on your use of this product, determine appropriate warnings and directions for your products and applications; also determine safety standards and conduct testing. Avoid contact between this undiluted product and skin, eyes, wood surfaces, and fabrics. Keep this undiluted product away from children and pets. Discontinue use if any adverse reaction occurs. This product has not been evaluated for safe use in e-cigarettes, or in any nicotine-containing or smoking-cessation product. Not for use with tobacco or nicotine.

This product is not intended for use by those who are pregnant, nursing, or by those with serious health conditions including but not limited to high blood pressure and diabetes. This product is not intended to diagnose, treat, cure or prevent any disease.

Store in original container, sealed tightly, in a cool, dry place away from sunlight or heat sources. This product should not be used beyond its stated expiry date. Products made with this item should be tested to determine suitable shelf life.

1.3. Details of the Supplier of the Safety Data Sheet

Company: True Terpenes
Address: 8210 NE Mauzey Ct
Hillsboro, OR 97124 USA
Telephone: 888-954-8550

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300
CHEMTREC (INTERNATIONAL) 1+ 703-527-3887

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

| Hazard Class | Category | Hazard Statements | Precautionary Statements: |
|--|-------------|-------------------|--|
| Aspiration Hazard | Category 1 | H304 | P301+P310, P331, P405, P501 |
| Skin Corrosion / Irritation | Category 2 | H315 | P264, P280, P302+P352, P321, P332+P313, P362 |
| Skin Sensitizer | Category 1 | H317 | P261, P272, P280, P302+P352, P332+P313, P321, P363, P501 |
| Specific Target Organs/Systemic Toxicity Following Single Exposure | Category 2 | H371 | P260, P264, P270, P308+P311, P405, P501 |
| Specific Target Organs/Systemic Toxicity Following Repeated Exposure | Category 1 | H372 | P260, P264, P270, P314, P501 |
| Eye Damage / Irritation | Category 2A | H319 | P264, P280, P305+P351+P338, P337+P313 |
| Aspiration Hazard | Category 1 | H304 | P301+P310, P331, P405, P501 |
| Flammable Liquids | Category 3 | H226 | P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501 |
| Hazardous to the Aquatic Environment (Acute) | Category 1 | H400 | P273, P391, P501 |
| Hazardous to the Aquatic Environment (Chronic) | Category 1 | H410 | P273, P391, P501 |
| Acute Toxicity, Oral | Category 3 | H301 | P270, P273, P301+P310+P330, P405, P501 |
| Acute Toxicity, Dermal | Category 3 | H311 | P264, P270, P273, P280, P302+P352+P312, P362, P405, P501 |

2.2. GHS Label Elements

Pictograms:



Signal Word:

Danger

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

Hazard Statements:

| Hazard Number | Hazard Statement |
|---------------|---|
| H226 | Flammable Liquid and Vapor. |
| H301+H311 | Toxic if swallowed or in contact with skin. |
| H304 | May be fatal if swallowed and enters airway. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H371 | May cause damage to organs. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary Statements:

Flavor is Our Passion. Quality is Our Promise

Third-Party Audited and Certified ISO 9001:2015 & FSSC 22000

Product Number: TTP-ID-TGBL

Page 3 of 16

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

| Precautionary Number | Precautionary Statement |
|----------------------|--|
| P210 | Keep away from heat, sparks and open flame. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground container and receiving equipment. |
| P241 | Use explosion-proof equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe fumes, mist, vapors, or spray. |
| P261 | Avoid breathing fumes, mist, vapors, or spray. |
| P264 | Wash arms, hands and face thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing must not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves and eye protection. |
| P301+P310+P330 | IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. |
| P302+P352+P312 | IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER / doctor if you feel unwell. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| P308+P311 | IF exposed or concerned: Call a POISON CENTER or physician. |
| P314 | Get medical attention if you feel unwell. |
| P321 | Specific treatment (Wash areas of contact with water.). |
| P331 | Do NOT induce vomiting. |
| P332+P313 | If skin irritation occurs: Get medical attention. |
| P337+P313 | If eye irritation persists: Get medical attention. |
| P362 | Take off contaminated clothing and wash it before reuse. |
| P363 | Wash contaminated clothing before reuse. |
| P370+P378 | In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. |
| P391 | Collect spillage. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents in accordance with local, state, federal and international regulations. |

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

| Chemical Name | Formula | Molecular Weight | CAS Number |
|------------------------|--|------------------|------------|
| Beta Caryophyllene | C ₁₅ H ₂₄ | 204.35 g/mol | 87-44-5 |
| Hexyl Acetate | C ₈ H ₁₆ O ₂ | 144.21 g/mol | 142-92-7 |
| Humulene | C ₁₅ H ₂₄ | 204.35 g/mol | 6753-98-6 |
| Isoamyl Acetate | C ₇ H ₁₄ O ₂ | 130.18 g/mol | 123-92-2 |
| Ethyl 2-methylbutyrate | C ₇ H ₁₄ O ₂ | 130.18 g/mol | 7452-79-1 |
| Beta Pinene | C ₁₀ H ₁₆ | 136.23 g/mol | 127-91-3 |
| Melonal | C ₉ H ₁₆ O | 140.22 g/mol | 106-72-9 |
| Menthone | C ₁₀ H ₁₈ O | 154.25 g/mol | 89-80-5 |
| Alpha Pinene | C ₁₀ H ₁₆ | 136.23 g/mol | 80-56-8 |
| L-Menthol | C ₁₀ H ₂₀ O | 156.27 g/mol | 2216-51-5 |
| Allyl Caproate | C ₉ H ₁₆ O ₂ | 156.22 g/mol | 123-68-2 |
| Hexenyl Cis-3 Butyrate | C ₁₀ H ₁₈ O ₂ | 170.25 g/mol | 16491-36-4 |
| Ethyl Butyrate | C ₆ H ₁₂ O ₂ | 116.15 g/mol | 105-54-4 |

Exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-Aid Measures

4.1. General First Aid Information

- Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops.
- Inhalation:** IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- Skin Contact:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause skin irritation.
- Ingestion:** IF SWALLOWED: Immediately call a POISON CENTER or a Physician. Dilute immediately with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most important Symptoms and Effects, Acute and Delayed

Causes skin irritation. Causes serious eye irritation. Cause damage to organs. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: May cause skin irritation. INHALATION: May cause irritation. INGESTION: May cause nausea, diarrhea.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water).

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Carbon dioxide, dry chemical, alcohol foam, water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Flammable liquid and vapor. Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed container, and to flush non-ignited spills or vapors away from fire.

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Absorb with suitable inert material (vermiculite, dry sand, etc.) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up in original container with lid securely tightened. Store in a cool dry place away from heat, open flame, sunlight, combustible materials, hot surfaces, and other sources of ignition in a secure, preferably flammable, storage area. As with all chemicals, use PPE and wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Empty containers may be hazardous since they retain product residues

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

| Chemical Name | Limit Type | Country | Exposure Limit | Information Source |
|-----------------|------------|---------|--|---|
| Beta Pinene | TLV-TWA | USA | 20 ppm TWA (listed under Turpentine and selected monoterpenes) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Alpha Pinene | TLV-TWA | USA | 20 ppm TWA (listed under Turpentine and selected monoterpenes) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Isoamyl Acetate | TWA | USA | 50 ppm | ACGIH - Threshold Limit Values |
| Isoamyl Acetate | TWA | USA | 100 ppm 525 mg/m ³ | NIOSH Recommended Exposure Limits |
| Isoamyl Acetate | PEL | USA | 50 ppm 266 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

Respiratory Protection: Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves, PVA or Nitrile rubber.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves, PVA, or Nitrile rubber. Safety glasses or goggles.

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

| | |
|--------------------------------|---|
| Appearance: | Clear, colorless to pale yellow liquid |
| Physical State: | Liquid |
| Odor: | Juicy Strawberry, Sugary Watermelon, Coconut, Floral, Violet, Pine, Berry |
| Odor Threshold: | Data not available |
| pH: | Data not available |
| Melting/Freezing Point: | Data not available |
| Initial Boiling Point/Range: | Data not available |
| Flash Point: | Data not available |
| Evaporation Rate: | Data not available |
| Flammability/Explosive Limits: | Data not available |
| Vapor Pressure: | Data not available |
| Vapor Density: | Data not available |
| Relative Density: | Data not available |
| Solubility: | Insoluble in water |
| Partition Coefficient: | Data not available |
| Auto-Ignition Temperature: | Data not available |
| Decomposition Temperature: | Data not available |
| Viscosity: | Data not available |
| Explosive Properties: | Data not available |
| Oxidizing Properties: | Data not available |

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

May form flammable/explosive vapour-air mixture.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Direct sunlight, extremely high or low temperatures, heat, sparks, open flame, strong acids and strong bases.

10.4. Hazardous Decomposition Products

Carbon oxides may form upon decomposition.

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity – Oral Exposure:

Not applicable.

Acute Toxicity – Dermal Exposure:

Not applicable.

Acute Toxicity – Inhalation Exposure:

Not applicable.

Acute Toxicity – Other Information:

LD50, Oral (calculated): 3665 mg/kg

Contains ingredients with unknown oral toxicity.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists. Get medical attention.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing fumes, mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Wash areas of contact with water.). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

Causes damage to organs. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity for Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

Aspiration Hazard:

May be fatal if swallowed and enters airways. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Very toxic to aquatic life. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations. Very toxic to aquatic life with long lasting effects. Avoid release to the environment. Collect spillage. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dispose of contaminated packaging as unused product.

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 5mL, 30mL, 120mL, 480mL, 1000mL, 2500mL, 5000mL
UN Number: UN2319
Proper Shipping Name: Terpene hydrocarbons, n.o.s.
Hazard Class: 3
Packing Group: III
Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 5mL, 30mL, 120mL, 480mL, 1000mL, 2500mL, 5000mL
UN Number: UN2319
Proper Shipping Name: Terpene hydrocarbons, n.o.s.
Hazard Class: 3
Packing Group: III
Hazard Label(s):



14.3.2 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 5mL, 30mL, 120mL, 480mL, 1000mL, 2500mL, 5000mL
UN Number: UN2319
Proper Shipping Name: Terpene hydrocarbons, n.o.s.
Hazard Class: 3
Packing Group: III
Hazard Label(s):



SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Not listed.

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Not listed.

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Not listed.

15.5. Massachusetts Right-to-Know Substance List

α -Pinene (CAS # 80-56-8): Present

Isoamyl Acetate (CAS # 123-92-2): Present

Ethyl butyrate (CAS # 105-54-4): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

α -Pinene (CAS # 80-56-8): Present

Hexyl Acetate (CAS # 142-92-7): Present

Isoamyl Acetate (CAS # 123-92-2): Present

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present

Allyl Caproate (CAS # 123-68-2): Present

Hexenyl Cis-3 Butyrate (CAS # 16491-36-4): Present

Ethyl butyrate (CAS # 105-54-4): Present

15.7. New Jersey Worker and Community Right-to-Know Components

α -Pinene (CAS # 80-56-8): flammable - third degree

α -Pinene (CAS # 80-56-8): sn 0052

Hexyl Acetate (CAS # 142-92-7): Present

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present

Allyl Caproate (CAS # 123-68-2): Present

Hexenyl Cis-3 Butyrate (CAS # 16491-36-4): Present

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

Ethyl butyrate (CAS # 105-54-4): corrosive; flammable - third degree

Ethyl butyrate (CAS # 105-54-4): sn 0862

15.8. California Proposition 65

Not Listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances Lists (DSL/NDSL)

β -Caryophyllene (CAS # 87-44-5): Present (DSL)

α -Pinene (CAS # 80-56-8): Present (DSL)

Hexyl Acetate (CAS # 142-92-7): Present (DSL)

Humulene (CAS # 6753-98-6): Present (NDSL)

Isoamyl Acetate (CAS # 123-92-2): Present (DSL)

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present (DSL)

β -Pinene (CAS # 127-91-3): Present (DSL)

Melonal (CAS # 106-72-9): Present (DSL)

Menthone (CAS # 89-80-5): Present (DSL)

L-Menthol (CAS # 2216-51-5): Present (DSL)

Allyl Caproate (CAS # 123-68-2): Present (DSL)

Hexenyl Cis-3 Butyrate (CAS # 16491-36-4): Present (DSL)

Ethyl butyrate (CAS # 105-54-4): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

β -Caryophyllene (CAS # 87-44-5): Present

α -Pinene (CAS # 80-56-8): Present

Hexyl Acetate (CAS # 142-92-7): Present

Humulene (CAS # 6753-98-6): Present

Isoamyl Acetate (CAS # 123-92-2): Present

Ethyl 2-methylbutyrate (CAS # 7452-79-1): Present

β -Pinene (CAS # 127-91-3): Present

Melonal (CAS # 106-72-9): Present

Menthone (CAS # 89-80-5): Present

L-Menthol (CAS # 2216-51-5): Present

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

Allyl Caproate (CAS # 123-68-2): Present

Hexenyl Cis-3 Butyrate (CAS # 16491-36-4): Present

Ethyl butyrate (CAS # 105-54-4): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

β -Caryophyllene (CAS # 87-44-5): 201-746-1

α -Pinene (CAS # 80-56-8): 201-291-9

α -Pinene (CAS # 80-56-8): 219-445-9

Hexyl Acetate (CAS # 142-92-7): 205-572-7

Humulene (CAS # 6753-98-6): 229-816-7

Isoamyl Acetate (CAS # 123-92-2): 204-662-3

Ethyl 2-methylbutyrate (CAS # 7452-79-1): 231-225-4

β -Pinene (CAS # 127-91-3): 204-872-5

β -Pinene (CAS # 127-91-3): 245-424-9

Melonal (CAS # 106-72-9): 203-427-2

Menthone (CAS # 89-80-5): 201-941-1

L-Menthol (CAS # 2216-51-5): 218-690-9

Allyl Caproate (CAS # 123-68-2): 204-642-4

Hexenyl Cis-3 Butyrate (CAS # 16491-36-4): 240-553-7

Ethyl butyrate (CAS # 105-54-4): 203-306-4

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 16: Other Information

16.1. Previous Revisions

Previous revisions of this document are no longer valid.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.
Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.
Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.
Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 2
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-06-28

SAFETY DATA SHEET

Classified According to OSHA Hazard Communication Standard (HCS)

DISCLAIMER

WARNING

True Terpenes cannot anticipate all conditions under which this information and this product, or the products of other manufacturers in combination with this product, may be used. It is the user's responsibility to stay current with respect to applicable laws and regulatory investigations and findings, and to ensure safe conditions for use, handling, storage and disposal of the product. The user assumes all liability for loss, injury, damage or expense due to unauthorized or improper use, and True Terpenes disclaims all such liability. The information in this sheet was written based on knowledge and experience currently available. To date, True Terpenes has not received any evidence confirming that this product has caused any adverse health consequences. The above information relates only to this product and not to its use in combination with any other material or any particular process, and is designed only as guidance for the handling, use, processing, storage, transportation, and disposal. It should not be considered as a guarantee or quality specification.

True Terpenes has performed no testing on this product in e-cig/vaping applications. Applying heat to a compound or mixture of compounds may promote new product formation by thermal degradation. New products could include harmful or potentially harmful compounds.

It is the sole responsibility of the individual(s) purchasing this product to assess its safety in the final application. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of True Terpenes' knowledge, based upon current information as of the publish date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own uses, processes, and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users of this product, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.